



YOUR
LIGHT 18
BATHROOM

Leuchtenübersicht Innenleuchten Overview interior lighting

ARGO

4–5



THEIA

6–7



LADO

8–9



STEN

10–11



PONTO

12–13




GAIA

14–17



IVY

18–19



ZAP

20–21




COSI

22–25



ZELO

26–29



TANA

30–31




OLVI

32–33



YUMA

34–35




VIDI

36–37



KETO

38–39



PALA

40–41



OSO

42–43



INDEX

ARGO	4-5
COSI	22-25
GAIA	14-17
IVY	18-19
KETO	38-39
LADO	8-9
OLVI	32-33
OSO	42-43
PALA	40-41
PONTO	12-13
STEN	10-11
TANA	30-31
THEIA	6-7
VIDI	36-37
YUMA	34-35
ZAP	20-21
ZELO	26-29








ARGO

LED IP44


chrom
Acrylglas satiniert
chrome
acrylic glass satinised



9 W, 2900 K, 650 Lumen
18/1935.04



12 W, 2900 K, 850 Lumen
18/1936.04





THEIA

LED IP44


chrom
Glas satiniert
Acrylglas satiniert
chrome
glass satinised
acrylic glass satinised




12 W, 230 V, 2900 K, 930 Lumen
18/1825.04




18 W, 230 V, 2900 K, 1395 Lumen
18/1826.04



24 W, 230 V, 2900 K, 1860 Lumen
18/1827.04



30 W, 230 V, 2900 K, 2325 Lumen
18/1828.04




LADO

LED IP44


chrom
Acrylglas satiniert
chrome
acrylic glass satinised




12 W, 2900 K, 1040 Lumen
18/1812.04



18 W, 2900 K, 1560 Lumen
18/1813.04



24 W, 2900 K, 2080 Lumen
18/1814.04





inkl. Zubehör für Wand-
oder Spiegelmontage
incl. fixing for wall or mirror
mounting




STEN

LED IP44


Acrylglas satiniert
Siebdruck silber
acrylic glass satinised
silkscreen silver




12 W, 230 V, 2900 K, 1040 Lumen
18/1855.08



18 W, 230 V, 2900 K, 1560 Lumen
18/1856.08



23 W, 230 V, 2900 K, 2080 Lumen
18/1857.08





PONTO

LED IP44

chrom
Acrylglas satiniert
chrome
acrylic glass satinised



12 W, 2900 K, 980 Lumen
18/1833.04

70
D 600 35



18 W, 2900 K, 1460 Lumen
18/1834.04

70
D 900 35



24 W, 2900 K, 1940 Lumen
18/1835.04

70
D 1200 35



GAIA

LED   IP44




chrom
Acrylglas satiniert
inkl. LED-Konverter extern (130x52x13 mm)
Tuneable white 2700 K - 6000 K


chrome
acrylic glass satinised
incl. LED-converter external (130x52x13 mm)
Tuneable white 2700 K - 6000 K




8 W, 680 Lumen
18/1815.04



12 W, 1020 Lumen
18/1816.04



15 W, 1290 Lumen
18/1817.04



inkl. Zubehör für Wand-, Spiegel- oder Möbelmontage
incl. fixing for wall, mirror or surface mounting



GAIA




chrom
Acrylglas satiniert
inkl. LED-Konverter extern (130 x 52 x 13 mm)
Tuneable white 2700 K - 6000 K


chrome
acrylic glass satinised
incl. LED-converter external (130 x 52 x 13 mm)
Tuneable white 2700 K - 6000 K




8 W, 680 Lumen
18/1815.04



12 W, 1020 Lumen
18/1816.04



15 W, 1290 Lumen
18/1817.04



inkl. Zubehör für Wand-, Spiegel- oder Möbelmontage
incl. fixing for wall, mirror or surface mounting









IVY

LED IP54


aluminium matt
Acryldiffusor satiniert
aluminium mat
acrylic diffuser satinised



8,4 W, 3000 K, 810 Lumen
18/1547.26



16,8 W, 3000 K, 1620 Lumen
18/1548.26





ZAP

LED IP44

chrom
dreh- und schwenkbar
chrome
rotatable and tiltable




1 x 5 W, 2900 K, 560 Lumen
18/1929.04



3 x 5 W, 2900 K, 1680 Lumen
38/1929.04



4 x 5 W, 2900 K, 2240 Lumen
45/1929.04



COSI

LED  IP30

chrom
Glas satiniert
Kanten poliert
chrome
glass satinised
edges polished

5 W, 2900 K, 610 Lumen
15/1905.04

 110
110 



13 W, 2900 K, 1810 Lumen
15/1906.04

 210
210 



26 W, 2900 K, 3830 Lumen
15/1907.04

 315
315 







COSI

LED  IP30

mattnickel
Glas satiniert
Kanten poliert
nickel mat
glass satinised
edges polished




5 W, 2900 K, 610 Lumen
15/1905.06



13 W, 2900 K, 1810 Lumen
15/1906.06



26 W, 2900 K, 3830 Lumen
15/1907.06





ZELO

LED IP44


chrom
Acrylglas satiniert
chrome
acrylic glass satinised



12 W, 2900 K, 960 Lumen
15/1950.04



18 W, 2900 K, 1440 Lumen
15/1951.04





ZELO

LED IP44

chrom
Opalglas satiniert
chrome
opal glass satinised



12 W, 2900 K, 940 Lumen
15/1820.04



18 W, 2900 K, 1420 Lumen
15/1821.04



TANA

LED IP44


chrom
Glas teilsatiniert
chrome
glass partially satinised



18 W, 2900 K, 1220 Lumen
15/1933.04



22 W, 2900 K, 1640 Lumen
15/1934.04







OLVI

LED IP44


chrom
Innenglas Opal weiß
Aussenglas klar
chrome
Internal glass opal white
external glass clear



12 W, 2900 K, 1080 Lumen
15/1930.04



12 W, 2900 K, 1020 Lumen
15/1931.04



18 W, 2900 K, 1480 Lumen
15/1932.04



YUMA

LED IP30



Opalglas mit klarem Dekorrand
opal glass with clear decorative edge



9,4 W, 2700 K, 891 Lumen
18/1442.08/5152

21,8 W, 2700 K, 2080 Lumen
15/1441.08/5149

34,3 W, 2700 K, 3268 Lumen
15/1440.08/5146





VIDI

LED IP44

chrom
Glas satiniert
chrome
glass satinised



12 W, 2900 K, 1250 Lumen
15/1836.04



18 W, 2900 K, 1840 Lumen
15/1837.04







KETO

LED IP44

chrom
Opalglas satiniert
chrome
opal glass satinised
6 W, 2900 K, 630 Lumen



15/1822.04

125 
100 



15/1823.04

125 
100 



15/1824.04

160 
120 



PALA

LED  IP30

Acryldiffusor satiniert
acrylic diffuser satinised
9 W, 2900 K, 900 Lumen



mattweiß / white mat
15/1629.07

aluminium matt / aluminium mat
15/1629.26



OSO

LED  IP44

Glas klar - opal
Abstrahlwinkel 40°
glass clear - opal
beam angle 40°

8 W, 230 V, 2800 K, 630 Lumen



mattweiß / white mat

15/1553.07

aluminium matt / aluminium mat

15/1553.26

65
H
SAC □
SBC ●



mattweiß / white mat

15/1552.07

aluminium matt / aluminium mat

15/1552.26

65
500
500



Helestra Leuchten GmbH
An den Breiten 7
D-01454 Leppersdorf
Tel. +49 (0) 35 28 / 43 83-0
Fax +49 (0) 35 28 / 43 83-44
www.helestra-leuchten.de
info@helestra-leuchten.de

